ELSEVIER

Journal of Magnetism and Magnetic Materials 254–255 (2003) xiii–xix

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Preface xi

Committees xii

A. Preparation and characterization

A.E. Berkowitz, M.F. Hansen, F.T. Parker, K.S. Vecchio, F.E. Spada, E.J. Lavernia and R. Rodriguez
Amorphous soft magnetic particles produced by spark erosion 1

R. Grössinger, H. Sassik, D. Holzer and N. Pillmayr
Magnetic characterization of soft magnetic materials—experiments and analysis 7

A. Yedra, L. Fernández Barquín, J.C. Gómez Sal and Q.A. Pankhurst
Nanoscale alloys prepared by sodium borohydride reduction of aqueous Fe–Cu and Co–Cu solutions 14

P.I. Williams, A.J. Moses, T. Meydan and R.J.D. Tilley
Amorphization of bulk magnetic materials by an arc melting technique 17

T. Yamaguchi and H. Saihata
Structures and magnetic properties of iron–nitrogen alloy powders prepared by mechanical alloying process 20

H. Grahl, S. Roth, J. Eckert and L. Schultz
Stability and magnetic properties of Fe-based amorphous alloys with supercooled liquid region 23

G. Saage, S. Roth, J. Eckert and L. Schultz
Low magnetostriction crystalline ribbons prepared by melt spinning and reactive annealing 26

K. Moras and W. Riehemann
Texture and magnetic properties of double-roller meltspun Fe6.5 wt%Si ribbons 29

P. Baudouin, Y. Houbaert and S. Tumanski
Magnetic local investigations of non-oriented electrical steels after tensile deformation 32

F. Anayi, A.J. Moses and K. Jenkins
Effect of aluminium diffusion into electrical steel on power loss under flux distortion conditions 36

M. Enokizono and H. Matsuo
A measurement system for two-dimensional DC-biased properties of magnetic materials 39

M. Hirano, Y. Ishihara, K. Harada and T. Todaka
A study on measurement of magnetostriction of silicon steel sheet by laser displacement meter 43

A. Pulnikov, V. Permiakov, M. De Wulf and J. Melkebeek
Measuring setup for the investigation of the influence of mechanical stresses on magnetic properties of electrical steel 47

S. Tumanski
Investigations of the anisotropic behaviour of SiFe steel 50

A.J. Moses, J. Leicht and P. Anderson
Characterising electrical steels under complex magnetising conditions 54

V.E. Iordache, F. Ossart and E. Hug
Magnetic characterisation of elastically and plastically tensile strained non-oriented Fe–3.2%Si steel 57

G. Krismanic, E. Leiss, S. Barsoum and H. Pfützner
Automatic scanning system for the determination of local loss distributions in magnetic cores 60

J.P. Hall, A.J. Moses, T. Irons and D. Snell
Novel magnetic method for the detection of residual curvature in electrical steel 64

A. Bieńkowski, R. Kolano and R. Szewczyk
New method of characterization of magnetoelastic properties of amorphous ring cores 67

M. De Wulf, D. Makaveev, Y. Houbaert and J. Melkebeek
Design and calibration aspects of small size single sheet testers 70

I. Zemánek
Exciting signal generator for SSTs 73

V. Havlíček and M. Pokorný
Increasing of AC compensation method accuracy 76

R.G. Calderón, D.H. Ucko, L.F. Barquín and Q.A. Pankhurst
Magnetic properties of nanoscale $Fe_xCu_xAg_{100-2x}$ ($x = 15, 35$) granular alloys 79

A.G. Prieto, M.L. Fdez-Gubieda, C. Meneghini and A. García-Arribas
In situ observation of the structural changes induced by thermal annealing on melt-spun $Co_{15}Cu_{85}$ granular alloys 82

R.L. Antón, M.L. Fdez-Gubieda, G. Kurlyandskaya and A. García-Arribas
Synthesis and characterisation of electrodeposited $Cu_{90}Co_{10}$ thin film 85

0304-8853/03/$ - see front matter

C. Gómez-Polo, J.I. Pérez-Landazábal, V. Recarte and W. Ciurzynska
Effect of the ordering on the magnetic and magnetoimpedance properties of Fe-6.5% Si alloy 88

T. Meydan, H. Kockar and P.I. Williams
Magnetic characterization of silicon–iron magnetic material produced by a novel rotating cryostat 91

V. Zhukova, J.M. Blanco, A. Zhukov, J. Gonzalez, A. Torcunov and V. Larin
Magnetostriction of glass-coated Co-rich amorphous microwires and its dependence on current annealing 94

B. Cornut, S. Catellani, J.C. Perrier, A. Kedous-Lebouc, T. Waeckerlé and H. Fraisse
New compact and precise magnetometer 97

K.S. Kim, S.C. Yu, A. Perumal and V. Srinivas
Reentrant behavior of amorphous FeMnZr alloys 100

N. Chatziilias, T. Meydan and C. Porter
Real time digital waveform control for magnetic testers 104

A. Platil, P. Ripka, P. Kaspar and J. Roztocil
Sampling measurements with digital hysteresisgraph 108

S. Yabukami, R. Ojima, M. Yamaguchi, K.I. Arai and S. Kikuchi
Highly sensitive permeability measurements obtained by electrical impedance 111

V.O. Vas'kovskiy, N.N. Shchegoleva, R.L. Antón, M.L. Fdez-Gubieda, G.V. Kurlyandskaya, V.N. Lepalovskij and A.A. Yuvchenko
The properties of Co–Cu melt-spun ribbons and thin films: similarity and difference 115

I. Zaytseva, A. Stupakiewicz, A. Maziewski and V. Zablotskii
Light-induced changes of cubic and uniaxial magnetic anisotropy in a magnet doped by strongly anisotropic ions 118

L.R. Dupré, R. Van Keer and J.A.A. Melkebeek
Evaluation of magnetostrictive effects in soft magnetic materials using the Preisach theory 121

A. Kedous-Lebouc, B. Cornut, J.C. Perrier, Ph. Manfé and Th. Chevalier
Punching influence on magnetic properties of the stator teeth of an induction motor 124

Y. Iwami, Y. Okazaki and A. Saito
Unique stress-magnetization change of Co-based amorphous ribbon due to magnetic field heat treatment 127

V. Goričan, A. Hamler, M. Jesenik, B. Štumberger and M. Trlep
Unreliable determination of vector $\boldsymbol{B}$ in 2-D SST 130

S. Hori, Y. Ishihara, K. Harada and T. Todaka
A study of the loss characteristics of the amorphous magnetic material under the distorted wave magnetic flux 133

E. Apiñaniz, J.S. Garitaonandia, F. Plazaola, J.J. del Val, J.A. Jimenez and A.R. Pierna
Study of the structure influence on the magnetism of $Fe_{70}Al_{30}$ alloy 136

V. Madurga, J. Vergara and C. Favieres
Influence of nature of the substrate on the soft magnetic properties of pulsed laser ablated-deposited amorphous Co 140

B. Magnetization processes, losses

P. Allia, M. Coisson, J. Moya, P. Tiberto and F. Vinai
Granular metallic systems as interacting superparamagnets: anhysteretic magnetization and hysteresis loops 143

C. Beatrice, F. Fiorillo, G. Asti, M. Solzi and S.S. Sartori
Effect of annealing on the magnetisation processes in cold-rolled thin Ni sheets 149

A. Zeleňáková, P. Kollár, M. Kuźmiński, M. Kollárová, Z. Vértesy and W. Riehemann
Magnetic properties and domain structure investigation of laser treated Finemet 152

F. Alves and R. Barrué
Anisotropy and domain patterns of flash stress-annealed soft amorphous and nanocrystalline alloys 155

C. Beatrice, V. Basso, M. Lo Bue, P. Tiberto and G. Bertotti
Experimental study of the magnetization processes in nanostructured soft magnetic materials 158

A. García, C. Morón and F. Maganto
Magnetization processes in bistable amorphous ribbons with induced helical anisotropy 161

Z. Kaczkowski, P. Ruuskanen and A. Lovas
Moduli of elasticity of the $Fe_{72.5}Cu_1Nb_4Si_{13.5}B_9$ amorphous alloy 164

M. Takezawa, J. Yamasaki, T. Honda and C. Kaido
Domain structure of chemically thinned non-oriented electrical sheet 167

F. Ossart, O. Hubert and R. Billardon
A new internal variables scalar hysteresis model respecting the wiping-out property 170

E.E. Shalyguina, M.A. Komarova, N.M. Abrosimova and A.N. Shaligin
Magneto-optical investigation of FeSiBCuNb amorphous wires 173

J. Ziman, M. Kladivová and B. Zagyi
Influence of a "domain-drag effect" on the movement of a single boundary between circular domains in stress-annealed amorphous CoFeSiB wire 176

V. Raposo, M. Vázquez and A. Mitra
Torsion dependence of giant magnetoimpedance in amorphous wires 179

V. Zhukova, A. Zhukov, J. Gonzalez and J.M. Blanco
Length effect in a negative magnetostrictive Co–Si–B amorphous wire with rectangular hysteresis loop 182

V. Zhukova, A. Zhukov, J.M. Blanco and J. Gonzalez
Orientational dependence of switching field in bistable Co-rich wires 185

A. Chizhik, A. Zhukov, J.M. Blanco and J. Gonzalez
Kerr effect investigation of magnetization reversal in Co-rich glass coated microwires 188

R. Lebourgeois, S. Bérenguer, C. Ramiarinjaona and T. Waeckerlé
Analysis of the initial complex permeability versus frequency of soft nanocrystalline ribbons and derived composites 191

J. Sláma, R. Dosoudil, R. Vícen, A. Grusková, V. Olah, I. Hudec and E. Ušák
Frequency dispersion of permeability in ferrite polymer composites 195

P. Krivošík, J. Bydžovský and E. Ušák
A new approach to modeling of loss separation in grain-oriented Fe–Si laminations 198

C. Krell, E. Leiss and H. Pfützner
Power loss of highly grain oriented silicon steel under rotational magnetization 201

V. Raposo, A.G. Flores, M. Zazo and J.I. Iñiguez
Magnetic after effect of giant magnetoimpedance in amorphous wires 204

P. Allia, M. Coisson, P. Tiberto, F. Vinai and H. Chiriac
High-frequency magnetic aftereffect in Co-based amorphous wires and ribbons 207

A. Magni, G. Bertotti, I.D. Mayergoyz and C. Serpico
Landau–Lifschitz–Gilbert dynamics and eddy current effects in metallic thin films 210

C. Appino, C. Beatrice, E. Ferrara and F. Fiorillo
The mechanism for loss minimization at medium and high frequencies in field annealed amorphous alloys 213

V.A. Bedarev, V.I. Gapon, S.L. Gnatchenko, M. Baran, R. Szymczak, J.-M. Desvignes and H.L. Gall
Metamagnetic phase transition in photoilluminated $Ca_3Mn_2Ge_3O_{12}$ garnet 216

A. Medina-Boudri, D.R. Cornejo, O. Ayala, H.R. Bertorello and J. Matutes-Aquino
Reversible processes in magnetization reversal of co-precipitated cobalt ferrite 219

K.-i. Yamamoto, H. Nakano and Y. Yamashiro
Effect of compressive stress on hysteresis loss of Terfenol-D 222

G. Vlasák, P. Švec and P. Duhaj
Evolution of magnetostriction in $Fe_{73.5-x}Ni_xCu_1Nb_3Si_{13.5}B_9$ ($x = 0$, 10, 20, 30, 40) alloy in the course of transformation 225

C. Simulation and design

A.J. Moses, F. Al-Naemi and J. Hall
Designing and prototyping for production. Practical applications of electromagnetic modelling 228

O. Bottauscio, M. Chiampi and L. Rege
Influence of skin effect on magnetic flux distribution in voltage driven devices with laminated cores 234

J. Füzi, A. Iványi and Zs. Szabó
DC shielding efficiency of spherical shells with holes 237

O. Bottauscio, A. Canova, M. Chiampi and M. Repetto
Rotational hysteresis and eddy current losses in electrical motor stators under non-conventional supply 241

A. Boglietti, O. Bottauscio, M. Chiampi and M. Lazzari
Modelling high frequency phenomena in the rotor of induction motors under no-load test conditions 244

M. Jesenik, V. Goričan, M. Trlep, A. Hamler and B. Štumberger
Field homogeneity in a two-phase round rotational single sheet tester with one and both side shields 247

F. Alnaemi and A.J. Moses
Improvement of permanent magnet machines performance by including magnetic shells into the rotor geometry 250

T. Waeckerlé, H. Fraisse and D. Gautard
Nanocrystallized cores for ground fault circuit breakers 253

D. Makaveev, L. Dupré, M. De Wulf and J. Melkebeek
Dynamic hysteresis modelling using feed-forward neural networks 256

C. Ragusa
An analytical method for the identification of the Preisach distribution function 259

G.K. Miti, A.J. Moses, N. Derebasi and D. Fox
A neural network-based tool for magnetic performance prediction of toroidal cores 262

G. Bán and P.E. Di Nunzio
Minimum force model. Effect of crystallographic texture on the magnetostriction and loss characteristics of non-oriented electrical steels 265

B. Štumberger, V. Goričan, G. Štumberger, A. Hamler, M. Trlep and M. Jesenik
Accuracy of iron loss calculation in electrical machines by using different iron loss models 269

M. Mita, N. Hirao and F. Kimura
A study of retainer ring made of 13.5Cr–0.6C–Fe dual state magnetic material 272

L. Hirsinger and C. Lexcellent
Modelling detwinning of martensite platelets under magnetic and (or) stress actions on Ni–Mn–Ga alloys 275

J. Füzi and G. Kádár
Frequency dependence in the product Preisach model 278

O. Nedelko, P. Didukh and A. Ślawska-Waniewska
The micromagnetic simulations of CoNbCuSiB nanocrystalline material 281

R. Szewczyk and A. Bieńkowski
Magnetoelastic Villari effect in high-permeability Mn–Zn ferrites and modeling of this effect 284

T. Sitkowski, L. Dominguez, K. Kułakowski and A.Z. Maksymowicz
Magnetism of amorphous FeB in the Bennett model 287

H. Shimoji and M. Enokizono
E&S^2 model for vector magnetic hysteresis property 290

H. Hauser and P.L. Fulmek
Magnetization process modeling of anisotropic magnetoresistive permalloy films 293

A. García, C. Morón and M.T. Carracedo
Theoretical calculation for magnetometric sensor based in anhysteretic processes 296

R. Goleman
Three-phase induction motor integrated with a magnetic frequency changer 299

D. Electrical steel

O. Fischer and J. Schneider
Influence of deformation process on the improvement of non-oriented electrical steel 302

Y. Ushigami, M. Mizokami, M. Fujikura, T. Kubota, H. Fujii and K. Murakami
Recent development of low-loss grain-oriented silicon steel 307

T. Tomida, N. Sano, K. Ueda, K. Fujiwara and N. Takahashi
Cube-textured Si-steel sheets by oxide-separator-induced decarburization and growth mechanism of cube grains 315

K. Hartmann, A.J. Moses and T. Meydan
A system for measurement of AC Barkhausen noise in electrical steels 318

A. Kedous-Lebouc, C. Vernescu and B. Cornut
A two-dimensional Preisach particle for vectorial hysteresis modeling 321

G. Bán
Model to evaluate the AC–DC magnetostriction characteristics of SiFe electrical steels 324

F.J.G. Landgraf, T. Yonamine, M. Emura and M.A. Cunha
Modelling the angular dependence of magnetic properties of a fully processed non-oriented electrical steel 328

H. Homma, B. Hutchinson and T. Kubota
The production mechanism of extensively sharp Goss orientation in HI-B material 331

T. Takamiya, M. Kurosawa and M. Komatsubara
Effect of hydrogen content in the final annealing atmosphere on secondary recrystallization of grain-oriented Si steel 334

M.d.G.M.M. Cesar and M.J. Mantel
Effect of the temperature and dew point of the decarburization process on the oxide subscale of a 3% silicon steel 337

G. Loisos, A.J. Moses and P. Beckley
Electrical stress on electrical steel coatings 340

J. Harase and R. Shimizu
Influence of annealing temperature before cold rolling and Cu content on the secondary recrystallization in nitrided Fe-3% si alloy 343

Y.P. Chernenkov, V.I. Fedorov, V.A. Lukshina, B.K. Sokolov and N.V. Ershov
Short-range order in α-Fe–Si single crystals 346

D. Snell and A. Coombs
The influence of core materials and mix on the performance of a 100 kVA three phase transformer core 349

O. Hubert, L. Daniel and R. Billardon
Experimental analysis of the magnetoelastic anisotropy of a non-oriented silicon iron alloy 352

A. Pulnikov, P. Baudouin and J. Melkebeek
Induced stresses due to the mechanical cutting of non-oriented electrical steels 355

M. Emura, F.J.G. Landgraf, W. Ross and J.R. Barreta
The influence of cutting technique on the magnetic properties of electrical steels 358

Y. Oda, Y. Tanaka, A. Chino and K. Yamada
The effects of sulfur on magnetic properties of non-oriented electrical steel sheets 361

F.J.G. Landgraf, T. Yonamine, R. Takanohashi, F.Q. Silva, J.P.V. Tosetti, F.B. Neto, E. Albertin, V.N.G. Mazzarella, I.G.S. Falleiros and M. Emura
Magnetic properties of silicon steel with as-cast columnar structure 364

A. Schoppa, J. Schneider, C.-D. Wuppermann and T. Bakon
Influence of welding and sticking of laminations on the magnetic properties of non-oriented electrical steels 367

A. Schoppa, H. Louis, F. Pude and Ch. von Rad
Influence of abrasive waterjet cutting on the magnetic properties of non-oriented electrical steels 370

B.K. Bae, J.S. Woo and J.K. Kim
Effect of heating rate on properties of non-oriented electrical steel containing 0.4% Si 373

H. Niwa, S. Yanase, S. Hashi and Y. Okazaki
Magnetic properties of grain-oriented magnetic steel sheets under temperature distribution 376

M.A. da Cunha and S.C. Paolinelli
Effect of the annealing temperature on the structure and magnetic properties of 3% Si non-oriented steel 379

A. Ivanyi and J. Füzi
Two-dimensional field model for single-sheet tester 382

K. Passadis, T. Meydan and P. Beckley
Neural-network-based single-sided non-enwrapping power loss tester 385

M. Džubinský and F. Kováč
Microstructure and texture development of Fe–3%Si GO steel during high temperature annealing 388

E. Soft magnetic alloys

J.A. Bas, J.A. Calero and M.J. Dougan
Sintered soft magnetic materials. Properties and applications 391

L. Kraus, Z. Frait, K.R. Pirota and H. Chiriac
Giant magnetoimpedance in glass-covered amorphous microwires 399

V.V. Gubernatorov and T.S. Sycheva
Physical nature of effects of thermomagnetic and thermomechanical treatments in ferromagnets 404

P. Didukh and A. Ślawska-Waniewska
Magnetocaloric effect in slightly crystallised Co–Nb–Cu–Si–B alloy 407

M. Szpryngacz, M. Enokizono and T. Todaka
Magnetization in Fe–Mn–Cr–Ni–Co–Si shape memory alloy 410

P. Kwapuliński, J. Rasek, Z. Stokłosa and G. Haneczok
Magnetic properties of $Fe_{74}Cu_1Cr_xZr_{3-x}Si_{13}B_9$ amorphous alloys 413

T.-S. Yoon, Y. Li, E.S. Koo and C.O. Kim
Soft magnetic properties of as-deposited Fe–Si–O thin films 416

Y.M. Kim, D. Choi, K.H. Kim, J. Kim, S.H. Han and H.J. Kim
Thickness effects on magnetic properties and ferromagnetic resonance of Co–Ni–Fe soft magnetic thin films 419

T. Nozawa, N. Nouchi, F. Morimoto and A. Otani
Coercive force reduction effect in FeCoV and FeNi films due to ultrathin FeNiMo layer 424

E.A. Gańshina, N.S. Perov, M.Yu. Kochneva, P.M. Sheverdyaeva, C.G. Kim and C.O. Kim
Weak magnetic field annealing effect on magneto-optical and magnetostatic properties of Co-based amorphous ribbons 428

A. Kolano and K. Mateja-Kaczmarska
The influence of post-annealing cooling rates on magnetic properties of Fe-based nanocrystalline alloys 431

M. Hasiak, W.H. Ciurzyńska, Y. Yamashiro and H. Fukunaga
Soft magnetic properties of amorphous and nanocrystalline $Fe_{80}Zr_4Ti_3B_{12}Cu_1$ alloy 434

K.S. Kim, S.-C. Yu, H. Lee and Y.-K. Kim
Soft magnetic properties of nanocrystalline $Fe_{75-x}Co_xZr_8Nb_2B_{15}$ ($x = 5, 10, 15$) alloys 437

K. Suzuki, J.M. Cadogan, K. Aoki and S.P. Ringer
Soft magnetic properties of Ge-doped nanocrystalline Fe–Zr–B alloys 441

J.M. Borrego, A. Conde, S. Roth and J. Eckert
Soft magnetic properties of FeCoSiAlGaPCB amorphous alloys 444

P.K. Chakrabarti, F. Mazaleyrat and L.K. Varga
Soft magnetic properties of rapidly quenched pig-iron-based alloys 447

S.C. Yu, Y.U. Kim, C.G. Kim, Y.H. Kang and W.N. Myung
Permeability spectra of neutron-irradiated and annealed amorphous FeCuNbSiB ribbons 450

V.V. Shulika, A.G. Lavrent'ev, A.P. Potapov and G.S. Korzunin
Peculiarities of manifestation of Barkhausen effect in $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy in amorphous and nanocrystalline states 454

M. Hasiak, M. Miglierini, Y. Yamashiro, W.H. Ciurzyńska, T. Yanai and H. Fukunaga
Microstructure and magnetic properties of nanocrystalline Fe–Zr–TM–B–Cu (TM = Nb or Mn) alloys 457

J.S. Blázquez, V. Franco, C.F. Conde and A. Conde
Microstructure and magnetic properties of $Fe_{78-x}Co_xNb_6B_{15}Cu_1$ ($x = 18, 39, 60$) alloys 460

C. Miguel, A.P. Zhukov and J. González
Magnetoimpedance of stress and/or field annealed $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ amorphous and nanocrystalline ribbon 463

M.N. Gona, S. Yanase, S. Hashi and Y. Okazaki
Magnetoimpedance effect in nanocrystalline FeZrNbB ribbons 466

H. Chiriac, T.-A. Óvári and A. Zhukov
Magnetoelastic anisotropy of amorphous microwires 469

M. Neagu, H. Chiriac, M. Vazquez, F. Borza and T.A. Ovari
Saturation magnetostriction of Co-rich glass-covered amorphous wires 472

H. Chiriac and C. Hison
Mechanical behavior of nanocrystalline Fe–Hf–B ribbons 475

L.K. Varga, Zs. Gercsi, Gy. Kovács, A. Kákay and F. Mazaleyrat
Stress-induced magnetic anisotropy in nanocrystalline alloys 477

T. Waeckerlé, F. Alves, P.L. Reydet, J. Degauque and G. Pourroy
Magnetic behaviour of a nanocrystallized $Fe_{73}Si_{15}B_8Nb_3Cu_1$ alloy 480

L.F. Kiss, T. Kemény, I. Vincze and V. Franco
Low-temperature spin freezing in soft magnetic nanocrystalline alloys 483

L.F. Kiss, J. Kováč and A. Lovas
Influence of early stages of nanocrystallization on the low-temperature magnetic properties of nanocrystalline ribbons 486

A. Lovas, B. Varga, L.F. Kiss, L. Nakonechna and Z. Kalincsák
The evolution of soft magnetic properties and the related density change during amorphous–nanocrystalline transformation 489

A. Gupta, S.N. Kane, N. Bhagat and T. Kulik
Effect of Cu, Nb and Ta addition on the structural and magnetic properties of amorphous Fe–Si–B alloys 492

S.N. Kane, A. Gupta, S.D. Sarabhai and L. Kraus
Influence of Co content on structural and magnetic properties of $Co_xFe_{84-x}Nb_7B_9$ alloys 495

S.N. Kane, A. Gupta, T. Kulik and L. Kraus
Influence of intrinsic and induced anisotropy on magnetoimpedance effect in amorphous $CO_{67}Fe_4$-$Mo_{1.5}Si_{16.5}B_{11}$ 498

S.N. Kane, A. Gupta and L.K. Varga
Mössbauer study of plastic deformation in amorphous $Fe_{40}Ni_{40}B_{20}$ and $Fe_{78}Si_9B_{11}C_2$ alloys 501

P. Gorria, L.F. Barquín, V.M. Prida and W.S. Howells
Microstructural study of joule heated nanocrystalline alloys using in situ neutron diffraction 504

S.H. Yoon, S.B. Kim, H.M. Lee and C.S. Kim
Distributions of hyperfine parameters in nanocrystalline $Fe_{83}B_9Nb_7Cu_1$ alloys 507

C. Morón, A. García and M.T. Carracedo
Temperature distribution study in flash-annealed amorphous ribbons 510

J. Zbroszczyk, J. Olszewski, W. Ciurzyńska, B. Wysłocki, R. Kolano, A. Młyńczyk, M. Łukiewski, A. Kolano and J. Lelątko
Microstructure and some magnetic characteristics of amorphous and nanocrystalline $Fe_{83-x}Co_xNb_3B_{13}Cu_1$ ($x = 0$ or 41.5) alloys 513

J. Olszewski, H. Fukunaga, W. Ciurzyńska, J. Zbroszczyk, A. Łukiewska, A. Młyńczyk, K. Perduta and J. Lelątko
Microstructure and temperature dependence of magnetic properties of nanocrystalline $Fe_{42.7}$-$Co_{42.7}Zr_{6.8-x}Nb_xB_{6.8}Cu_1$ ($x = 0$, 1) alloys 516

H. Fukunaga, H. Tanaka, T. Yanai, M. Nakano and J.M. Song
Gapless Fe-based metallic cores with low permeability 519

H. Lee, Y.-K. Kim and S.-C. Yu
Temperature dependence of soft magnetic properties in amorphous $Co_{69}Fe_{4.5}X_{1.5}Si_{10}B_{15}$ (X = Cr, Mn, Ni) alloys 522

B. Hernando, V.M. Prida, M.L. Sánchez, M. Tejedor, M. Vázquez and L.-Y. Feng
Torsional stress dependence of reactance and resistance in Fe-rich amorphous wires at low frequencies 525

N. Randrianantoandro, A. Peña, F. Plazaola, J.A. Jimenez, J.-M. Grenèche and J.M. Barandiaran
Magnetic properties of $Fe_{66}Cr_{12}Al_{22}$ crystalline ribbon 528

J.L. Uriarte, A.R. Yavari, S. Suriñach, P. Rizzi, G. Heunen, M. Baricco, M.D. Baró and A. Kvick
Properties of FeNiB-based metallic glasses with primary BCC and FCC crystallisation products 532

F. Ferrites and other oxides

G. Ott, J. Wrba and R. Lucke
Recent developments of Mn–Zn ferrites for high permeability applications 535

J. Moulin, Y. Champion, J.M. Grenèche and F. Mazaleyrat
Magnetic properties of MnZn ferrite with ultra-fine grain structure 538

K. Kondo, T. Chiba and S. Yamada
Effect of microstructure on magnetic properties of Ni–Zn ferrites 541

A. Gonchar, V. Andreev, L. Letyuk, A. Shishkanov and V. Maiorov
Problems of increasing of thermostability of highly permeable Ni–Zn ferrites and relative materials for telecommunications 544

A. Bieńkowski, K. Rożniatowski and R. Szewczyk
Effects of stress and its dependence on microstructure in Mn–Zn ferrite for power applications 547

G. Vértesy and B. Keszei
Double magnetic layer formed in epitaxial garnet films by annealing 550

C.S. Kim, B.K. Min, S.J. Kim, S.R. Yoon and Y.R. Uhm
Crystallographic and magnetic properties of $Y_3Fe_{5-x}Al_xO_{12}$ 553

V.G. Kostishyn and L.M. Letyuk
Use of corona electret state in Bi-containing ferrite–garnet heterocompositions for thermomagnetic data recording 556

V.G. Kostishyn and L.M. Letyuk
Role of Ca^{2+} ions uncompensated with isovalent ions in the formation of magnetic properties in $(YSmLuCa)_3(FeGe)_5O_{12}$, $(YYbBi)_3(FeGa)_5O_{12}$ and $(YBi)_3(FeGa)_5O_{12}$ epitaxial films 559

M. Tekielak, A. Stupakiewicz, A. Maziewski and J.M. Desvignes
Temperature-induced phase transitions in Co-doped YIG films 562

S.W. Lee, S.Y. An, S.R. Yoon, I.-B. Shim and C.S. Kim
Atomic migration in $Co_{0.9}Zn_{0.1}Fe_2O_4$ 565

C.S. Kim, I.-B. Shim, S.B. Kim, S.R. Yoon and G.Y. Ahn
Mössbauer studies of iron-doped $La_{0.67}Sr_{0.33}Mn^{57}_{0.99}Fe_{0.01}O_3$ 568

I.-B. Shim, H.-M. Lee, C.W. Lee, J.-G. Lee and C.S. Kim
Substitution dependence of magnetoresistance in sol–gel-derived $La_{2/3-x}Tl_xCa_{1/3}MnO_{3-\delta}$ 571

H. Han, C.S. Kim and B.W. Lee
Magnetic properties of ordered Perovskite Ba_2FeMoO_6 574

W.Y. Lee, H. Han, S.B. Kim, C.S. Kim and B.W. Lee
Some effects of Fe/Mo disorder in double perovskite $Ba_2Fe_{1+x}Mo_{1-x}O_6$ 577

S.B. Kim, B.W. Lee, S.R. Yoon and C.S. Kim
Anisotropic hyperfine field fluctuation in Ba_2FeMoO_6 580

A.G. Flores, M. Zazo, J. Íñiguez, V. Raposo, C. de Francisco, J.M. Muñoz and W.J. Padilla
Ferromagnetic resonance in double perovskite Ba_2FeMoO_6 583

A. Peña, J. Gutiérrez, L.M. Rodríguez-Martínez, J.M. Barandiarán, T. Hernández and T. Rojo
Magnetic order changes in Al substituted Sr_2FeMoO_6 double perovskites 586

A.I. Shames, V. Markovich, E. Rozenberg, A. Yakubovsky, C. Martin, A. Maignan, M. Hervieu, B. Raveau and G. Gorodetsky
Electron magnetic resonance and pressure studies of $Sm_{0.2}Ca_{0.8}Mn_{1-x}Ru_xO_3$ ceramics 589

J.c. Lee, S.Y. Ie, S.I. Park, C.S. Kim and K. Jeong
Magnetotransport properties of perovskite La–Ba–Mn–O-deposited films on Si substrates 592

Y.R. Uhm, C.W. Lee, S.R. Yoon, J.-G. Lee, and C.S. Kim
The Mössbauer study of magnetic phase transition in single crystal $(Nd_{1-x}Sm_x)_{1/3}Sr_{2/3}FeO_3$ 595

G. Power and electronic applications

G. Herzer
Magnetic materials for electronic article surveillance 598

A.B. Rinkevich, L.N. Romashev, V.V. Ustinov and E.A. Kuznetsov
High frequency properties of magnetic multilayers 603

R. Lebourgeois, J.-P. Ganne, G. Peyresoubes, W. Rebernak, A.-L. Adenot and O. Acher
New ferromagnetic composites for radio-frequency applications 608

P. Marketos, T. Meydan and D. Snell
Performance of single-phase transformer cores assembled from consolidated stacks of electrical steels 612

A.J. Moses
Prediction of core losses of three phase transformers from estimation of the components contributing to the building factor 615

G. Štumberger, B. Štumberger and D. Dolinar
Magnetically nonlinear and anisotropic iron core model of synchronous reluctance motor 618

M. De Wulf, S. Jacobs and J. Melkebeek
Influence of material quality on the magnetic and mechanical properties of steel sheet for salient pole electrical machines 621

E. Kaniusas, L. Mehnen and H. Pfützner
Magnetostrictive amorphous bilayers and trilayers for thermal sensors 624

L. Mehnen, P. Švec, H. Pfützner and P. Duhaj
Displacement sensor based on an amorphous bilayer including a magnetostrictive component 627

R.P. Almazán, L. Pérez, C. Aroca, M.C. Sánchez, E. López and P. Sánchez
Magnetometric sensors based on planar spiral coils 630

P. Ripka, A. Platil, P. Kaspar, A. Tipek, M. Malatek and L. Kraus
Permalloy GMI sensor 633

M.A. Rivero, M. Maicas, E. López, C. Aroca, M.C. Sánchez and P. Sánchez
Influence of the sensor shape on permalloy/Cu/permalloy magnetoimpedance 636

P. Ripka, M. Vopálenský, A. Platil, M. Döscher, K.-M.H. Lenssen and H. Hauser
AMR magnetometer 639

J. Sláma, A. Grusková, R. Vícen, S. Vícenová, R. Dosoudil and J. Franek
Composite material with substituted Li ferrite for high-frequency applications 642

Author index to volume 254–255 646

Subject index to volume 254–255 657